Bi weekly Field Report

Surveyor Date visited


Time visited

Zaw La 27 Jun 2019 15:30 am

Weather Condition <u>Cloudy</u>
The last time of heavy raining: Yesterday

No	Item	Condition	Narrative Description and Photos	
1	(1.1) Water Supply System	Improved □ Same •* Worse □ *as last week	Narrative Description Water distribution system has been su zone B resettled families. The new we line and its necessary instruments becaprevious well includes iron hydroxide the iron removal tank. The current was iron hydroxide and yellowish mud are	all was drilled and installed the pipe ause the underground water of the and yellowish mud that clogged in ter condition is quite good and no
			Photos	
			Water from ground water tank	Pipe line distribution water to houses
			water from ground water talk	Tipe line distribution water to notises

No	Item	Condition	Narrative Description and Photos	
1	(1.2) Well	Improved□ Same ■* Worse □ *as last week	 Water from two open-wells is clean enough to use for drinking and living. There are eleven tube wells in the relocation site. Residents use the water basically from the pipeline distribution system so that the frequency of water usage from the tube wells is very low. To sustain the good condition of the tube wells, the leg pumps were kept and covered the PVC pipes with the caps till the residents use. 	
			Open Well No. 1	Open Well No. 2
	(2) Drainage	Improved□ Same ■* Worse □ *as last week	There is a little amount of water in Photos The drain at the corner of Main Road A and B	The exit of the drain at the corner of Site village road and 2 nd street
			The exit of the drain at the corner of Site village road and 3 rd street	The exit of the drain at the corner of Site village road and Main Road C
	(3) Road	Improved□ Same •* Worse □ *as last week	 All the roads except 6th street are still dry and no problem for walking. 6th street is being damaged due to passing the heavy trucks that carry the soil to fill near the creek side. Therefore the exits of the drain at the 6th street are being blocked with the soil. 	
			<u>Photos</u>	



		7 th Street	Site Village
(4) Garbage Condition	Improved□ Same ■* Worse □ *as last week	of each road until the end of April are kept by the community leader near the triangle junction of Main	e bins are provided. been provided and placed at the corner l. After April 2018, all the garbage bins of PAPs in the communal compound Road C and Upper Fourth Street. But e truck from township municipal office
		Rubbishes in the creek near 1st street	Rubbishes in the creek near 2nd street
		The soil was filled near the creek of Main Road C in March	The soil was filled near the creek of 6 th Street in March

(5) Fly	Improved□
proof	Same ■ *
toilet	Worse □
	*as last week

- All of the fly proof toilets are used the residents.
- All of the toilets are repaired by the following procedures;
 - Installation the extra septic tanks beside the original
 - The pipe line system is installed from the extra tank to the ditch to flow the liquid out.

The toilet renovation plan was successfully done and there is no problem at the moment.

	No. of HHs		
Condition	This week condition	Previous	
		week condition	
Level 1	91	91	
Level 2	0	0	
Level 3	0	0	
Level 4	0	0	
No Toilet	0	0	

<Evaluation Criteria>

Level 1

- Fly proof toilet is not needed to be repaired.
- No/rarely toilet unavailable

- Fly proof toilet is needed to be repaired.
- Rarely toilet unavailable

Level 3

- Fly proof toilet is needed to be repaired.
- Often toilet unavailable
- As the result of filling the soil and also due to the heavy rain, some toilets are inconvenience to use.

Level 4

- Fly proof toilet is urgently needed to be repaired.
- Often toilet unavailable

Photos



	(6) Electricity	Improved□ Same ■* Worse □ *as last week	 Residents get the electricity regularies and transformer are foundations. There are some pieces of wood ur and it's needed to clean up. Photos Transformer No. 1 Transformer No. 3	
No	Item	Condition	Description	and Main Road C
2	(1)House Construction	No. of houses which are not completed (4)	 In plot No.9 and 10, three houses are owned by father and son. The are needed to be carried on. Plot No.64, the house construction 	that are planned to build as the plots e second floors of these three houses on seems to be stopped.
			House No. 9	House No. 64





3 Other Issues

(1). Drainage condition for rain water in the compounds

Description

	No. of HHs	
Condition	This week	Previous week
	condition	condition
Level 1	85	82
Level 2	5	5
Level 3	0	2
Level 4	1	2

<Evaluation Criteria>

Level 1

-No mud and no standing water with their own drainage system in their compound

Level 2

-No mud and no standing water in their compound

Level 3

- Some or little mud and standing water in their compound

Level 4

-A lot of mud and standing water in their compound

Remark: The compound of house no. 47 will not be muddy again as it has been renovated with concrete. Therefore the other photo for level 3 will be changed in the next report.

Photos













(2) Plantation

- In front of the compounds, the shady trees, fruit trees, flowering plants and vegetables are being planted.

Description

- In front of the compounds, the shade trees, fruit trees, flowering plants and vegetables are being planted.

Type	No. of HHs	Remarks	
Shade tree	15	Albizzia, Indian almond, Neem tree, etc. HH No. 20, 40, 43, 48, 51, 57, 59, 61, 62, 67, 69, 72, 73, 77, 85	
Fruit tree	37	Banana, Mango, sugar cane, coconut, citrus and jack fruit etc. HH No. 3, 15, 17, 20,21, 23, 28, 30, 31, 32, 34, 37, 40, 41, 48, 51, 52, 55, 57, 58, 59, 61, 62, 63, 67, 68, 70, 71, 72, 73, 77, 78, 82, 85, 86, 88	
Vegetables	20	Chili, tomato, bitter gourd, Roselle, gourd, basils, eggplant etc. HH No. 12, 17, 21, 41, 49, 58, 59, 61, 62, 63, 67, 68, 70, 71, 72, 73, 77, 82, 85, 86	
Flowering plant	31	Jasmine, poinsettia, orchid, kiss me quick, etc. HH No. 3, 5, 6, 8, 10, 12, 13, 14, 17, 20, 21, 22, 23, 29, 30, 31, 32, 46, 48, 58, 59, 61, 62, 65, 67, 68, 69, 72, 77, 78, 86	

Photos,









(3) Livestock

Description

-The chicken, gooses and ducks are being raised.		
No. of HHs	Remarks	
6	HH No. 13, 14, 21,	
	59, 67, 78	
3	HH No.12	
2	HH No. 40, 67	

Photos



